

# COLOR | YOU ONLY STICK ONCE | LIP CREAM | CC-LIP-042-02 | DIP CONTAINER

Phase	Tradename	INCI (EU)	Supplier	%
A	WITARIX MCT 60/40 coconut based	Caprylic/Capric Triglyceride Isododecane	IOI Oleo Elementis	ad 100
	Fancol ID-CG	Isododecane	Elementis	21.50
	KahlResin 5723 MB Araucaria + Octyldodecanol	Glyceryl Rosinate, Octyldodecanol	Kahl	2.00
	KahlWax 8104 White Beeswax	Cera Alba	Kahl	4.30
B	Tixogel VP-V	Quaternium-90 Bentonite	Eckart	4.30
	Ethanol	Ethanol	--	1.50
C	Red FE Oxide Castor Oil Disp COD 8006	Ricinus Communis Seed Oil, CI 77491	Sun Chemical	7.00
	Black FE Oxide Castor Oil Disp COD 8004	Ricinus Communis Seed Oil, CI 77499	Sun Chemical	1.00
	White Castor Oil Disp COD 8008	Ricinus Communis Seed Oil, CI 77891	Sun Chemical	16.00
D	Dowsil MQ-1600 Solid Resin	Trimethylsiloxysilicate	Dow Chemical	13.00
E	RonaFlair Extender W	Mica, Titanium Dioxide	Merck	4.40

Formulated with film-forming 5723 Araucaria Resin, this long-lasting, transfer-proof formula basically needs to be applied only once. It has a pleasant creamy texture and provides a matte finish without drying out the lips.

## Procedure

Melt phase A ingredients at 80 °C. Add Thixogel VP-V and homogenize for 1-2 minutes. Add ethanol and continue homogenization. Add phase C and D during homogenisation and continue until a uniform blend is obtained. Add phase E under stirring. Remove entrapped air. Cool to 35 °C and fill into suitable packaging. If you prefer to use pure pigment split the dispersion to 50 % pure pigment and 50 % castor oil. Add castor oil to phase A. Mix Pigments with a part of phase A and grind by using a mill.